



Feeder and cutlery trap



Start & stop contactor
incl. motor overload
protector, IP55



Food waste disposer
400BASIC

Tel.: +49 40 600 094 680 E-Mail.: info@wesco-navy.de

Food waste disposer 400BASIC

Total capacity.....0,55 KW
=====

Marine Execution

Installation : Below sink !





Certificate : Marpol Annex V

Size of pieces : Comminuted max. 25mm !

Motor : 0,55 kW

Capacity : 100-150 Kg/h

- Disposal of small quantities of food.
- Installation without welding.
- Screw connection into a 93mm drain hole in the bottom of the sink.
- Opening of the grinding chamber allows permanent feed of food waste.
- Required, not included in the scope of delivery installation material are:
 - Electric main switch
 - Water separator
 - Can be ordered



Wir behalten uns vor, die technischen Spezifikationen im Interesse der Weiterentwicklung zu verändern.
We reserve the right to modify the specifications if necessary.

ITEM:				DRAW.		AW		06.03.23			
Food waste disposer 400BASIC Speiserestevernichter				THIS DRAWING REMAINS THE PROPERTY OF WESCO Navy				REV.		-	
								-			
Tel.: +49 40 600 094 680 Fax: +49 40 536 75 01				DRAWING NR.		PLOT OUT OF SCALE					
E-mail: Info@wesco-navy.de											