



Picture is showing a galley range with 6 squared hot plates

Galley range / Schiffsherd
IPGRB4220

Tel.: +49 40 600 094 680 E-Mail.: info@wesco-navy.de





Galley range IPGRB4220

Hot plates : 2 x (4,8 kW - 300x610mm)
: 2 x (3,0 kW - 300x300mm)
Baking oven : 1 x (6,0 kW - 540x700x300mm)

Total capacity: : 21,6 kW
=====

Marine Execution

- Outside lining, hand rails, removeable storm rails and feet of stainless steel AISI 304.
- Free standing on 4 feet, height adjustable.
- Cooking plates in stainless steel.
- Step-switches and thermostats mounted.
- 1 Roasting grid..




Adjustable legs (+30 mm)
All dimensions are in mm
Effect: See electrical
diagram
PLOT OUT OF SCALE

Wir behalten uns vor, die technischen Spezifikationen im
Interesse der Weiterentwicklung zu verändern.
We reserve the right to modify the specifications
if necessary.

ITEM:		DRAW.	
Galley range		AW	
IPGRB4220		17.08.10	
Schiffssherd		REV.	
THIS DRAWING REMAINS		-	
THE PROPERTY OF		-	
WESCO Navy			
Tel.: +49 40 600 094 680 Fax.: +49 40 536 75 01		WESCO Navy	
E-mail.: Info@wesco-navy.de		Hamburg	

ELECTRIC WIRING DIAGRAMME IPGRB4220



1 ELECTRIC LINE

		901172014	V115	300X300 mm			901172024	V115 V230
2	DELTA STAR SWITCH	901172015	V230	300X300 mm	7	SWITCH		V400
			V400				901172025	V415
		901172016	V415	300X300 mm				V440
			V440					V480
			V480				901177600	V115
3	COMPLETE PILOT LAMP	901172100	V115/230			OVEN HEATING ELEMENT	901177610	V230
		901172110	V400/415/440/480				901177620	V400
							901177640	V415
3A	LAMP	901172120	V115/230				901177660	V440
		901172125	V400/415/440/480				901177670	V480
				9	JUNCTION BLOCK		955050150	
4	JUNCTION BLOCK	955050150		10	THERMOSTAT		933100001	
5	PLATE HEATING ELEMENT	901120240	V115	300x300 mm	11	PILOT LAMP RESISTOR	901172115	
		901120245	V230	300x300 mm		(ONLY FOR VOLTAGE 415/440/480)		
		901120250	V400	300x300 mm				
		901120252	V415	300x300 mm				
		901120255	V440	300x300 mm				
		901120260	V480	300x300 mm	A	RATED VOLTAGE	VOLT	115/3/60
6	CONTACTOR	901172430	V115/230					230/3/50-60
		901172450	V400/415/440/480					400/3/50
								415/3/50-60
								440/3/60
								480/3/60