



Potato peeler / Kartoffelschäler
PPI120 + PPI250

Tel.: +49 40 600 094 680 E-Mail.: info@wesco-navy.de

Potato peeler PPI250.261

Total capacity.....0,75 KW
=====

Marine Execution

Capacity/Load : 25 Kg
Capacity/h : 250 Kg
Motor : 0,75 kW




Water inlet:

Inlet hose and air break are supplied.

Water drain:

1m long, 75mm flexible waste pipe incl.
Can also be plumbed into waste using 2" BSP
waste pipe connection.

- Floor model.
- Low pedestral.
- quiet operation.
- Starter and timer.
- Low voltage IP65 water operator controls.
- Stainless steel construction.
- Flap discharge.
- Dual position for waste outlet.
- Easy to use.
- Practically free of maintenance.
- Easy installation.
- Complete and ready for use.



Wir behalten uns vor, die technischen Spezifikationen im Interesse der Weiterentwicklung zu verändern.
We reserve the right to modify the specifications if necessary.

ITEM:					
Potato peeler		PPI 250			
Kartoffelschäler					
		THIS DRAWING REMAINS THE PROPERTY OF WESCO Navy		DRAW.	KO
				REV.	-
Tel.: +49 40 600 094 680 Fax.: +49 40 536 75 01				13.05.07	
E-mail.: Info@wesco-navy.de					
		DRAWING NO.			
		PLOT OUT OF SCALE			

WIRING DIAGRAM 1PH UNITS

