



Potato peeler / Kartoffelschäler
PPI35N + PPI70N

Tel.: +49 40 600 094 680 E-Mail.: info@wesco-navy.de

Potato peeler PPI35N



Total capacity..... 0,25 KW

=====


Marine Execution

Capacity : 35 Kg/h
Power : 0,25 kW
Water inlet : ½"
Water drain : 2" (female)


- Table model.
- Aluminium castings, finished in stoved epoxy resin enamel.
- Bottom plate and cylinder are carborundum coated for long life resin bonded abrasive.
- The peeling container can be turned 210°.
- V-belt drive.
- Quiet operation.
- Outlet pipe.
- Practically free of maintenance.
- Complete and ready for installation.
- With 1,5 mtr. cable and Euro-plug.




PPI35N



PPI70N




Footprint
peelers




Diam. 9

238



Adjustable pedestal for floormounting on request.



425/500

PLOT OUT OF SCALE

Wir behalten uns vor, die technischen Spezifikationen im Interesse der Weiterentwicklung zu verändern.
We reserve the right to modify the specifications if necessary.

ITEM:		DRAW. NR.	
Potato peeler	PPI35N/70N	KO	13.01.11
Kartoffelschäler		REV.	-
THIS DRAWING REMAINS THE PROPERTY OF WESCO Navy			
Tel.: +49 40 600 094 680 Fax.: +49 40 536 75 01			
E-mail: info@wesco-navy.de			

WIRING DIAGRAM - 1 PHASE

