



Picture is showing the peeler without the stand

Potato peeler / Kartoffelschäler
PPI35NST + PPI70NST

Tel.: +49 40 600 094 680 E-Mail.: info@wesco-navy.de

Potato peeler PPI35NST

Total capacity.....0,25 KW

=====

Marine Execution

Per charge : 35 Kg/h






Water inlet : 1/2"

Water drain : 2" (female)

Motor : 0,25 kW

- Floor model with stand.
- Aluminium castings, finished in stoved epoxy resin enamel.
- Bottom plate and cylinder are carborundum coated for long life resin bonded abrasive.
- Water drain can be connected left or right.
- The peeling container can be turned 210°.
- V-belt drive.
- Outlet pipe.
- Practically free of maintenance.
- Complete and ready for installation..

Adjustable pedestal for floormounting on request.



Wir behalten uns vor, die technischen Spezifikationen im Interesse der Weiterentwicklung zu verändern.
We reserve the right to modify the specifications if necessary.

PLOT OUT OF SCALE

ITEM:		DRAWING NR.	
Potato peeler	PP135NST/70NST		
Kartoffelschäler		THIS DRAWING REMAINS THE PROPERTY OF WESCO Navy	
Tel.: +49 40 600 094 680 Fax.: +49 40 536 75 01		REV.	
E-mail.: info@wesco-navy.de			
		KO	13.01.1

WIRING DIAGRAM - 1 PHASE

